Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



SPRING OF 1900.

111

ESTABLISHED 1849.

WHOLESALE TRADE-LIST

OF THE

Morrisville Nurseries

SAMUEL C. MOON

Morrisville, Bucks County, Penna.

THE MORRISVILLE NURSERIES are in Bucks county, Pennsylvania, about one mile from Morrisville, a station on the New York Division of the P. R. R., thirty miles from Philadelphia, sixty miles from New York, and two miles from Trenton, New Jersey. Carriages can always be obtained from the stations in Trenton. To get to the Nursery from Trenton, cross the Delaware River over the Bridge-street bridge and continue out Bridge street, one and a-half miles westward toward Fallsington.

THROUGH FREIGHT RATES from Trenton to all principal cities north, south, east and west, via Pennsylvania, Reading, or Lehigh Valley Railroads. Also, water transportation to Philadelphia and New York. All goods will be delivered to the railroad or steamboat in good condition, after which they are entirely at the risk of the purchaser. Should any loss or delay occur to goods in transit, the forwarding company alone must be held accountable and responsible. Packing is done in first-class manner, and charged for at cost of material used.

ALL CLAIMS for errors or deductions must be made immediately upon receipt of goods.

TERMS CASH, unless by special agreement. I can ship by express, C. O. D., when desired, with charges for collection added to bill.

Address all orders and communications to

SAMUEL C. MOON,

Telephone 811-a, Trenton, N. J., Exchange.

Morrisville, Bucks County, Penna.

OUR NURSERY has been carefully examined by a Special Agent of the Department of Agriculture for the state of Pennsylvania, and pronounced free from the presence of injurious insects or diseases.

SAMUEL C. MOON'S WHOLESALE TRADE-LIST

LARGE STOCK.

Frequently we have calls for large, well grown specimen trees and shrubs, for producing immediate effect in new plantations.

The following are a few well developed plants that have been transplanted several times, and are still standing in cultivated land. They have excellent roots, and most of them can be shipped with heavy balls of earth if desired.

Further particulars respecting the stock will be furnished on application, but whenever practicable, it is more satisfactory for purchasers to visit the Nursery and examine such stock in person. We are glad to receive such visitors.

- 4 BEECH, American, 4 in. cal., 15 ft.
- 10 "European, 4 to 6 in. cal., 15 to 20 ft.
- 4 "Purple-leaved, 4 to 5 in. cal.
- 2 " 9 to 12 in. cal.
- 1 CERCIDIPHYLLUM, 14 ft., 4-in. cal., bushy, branched low.
- 25 ELMS, 5 to 8 in. cal., 25 to 35 ft.
 - 2 " 10 to 12 in. cal., 40 ft.
 - 4 KŒLREUTERIA paniculata, 3 to 4 in. cal., 12 to 15 ft.
 - 6 LINDEN, European, 3 in. cal., 10 to 12 ft., low branched.
 - 6 MAGNOLIA Soulangeana, 10 to 12 ft., large bushes, branched low.
 - 8 "Kobus, 9 to 12 ft., 3 in. cal., low branched, bushy tree.
 - 1 MAPLE, Red Colchicum, 8 in. cal., 35 ft.
 - 2 "Red or Scarlet, 8 to 9 in. cal., 35 to 40 ft.
- 6 "Sugar, 6 to 10 in. cal., 20 to 45 ft.
- 10 "Norway, 4 to 6 in. cal., 16 to 20 ft.
- 3 OAK, English, 3 in. cal., 12 to 16 ft.
- 4 "Willow-leaved, 4 to 5 in. cal., 14 to 16 ft.
- 2 AZALEA amœna, 3 to 4 ft. high by 3 to 4 ft. in diameter.
- 75 ALTHEA, Double Red, large bushes, 6 to 8 ft.
 - 2 BOX TREES, 8 ft. high, loose, open habit, not sheared.
 - 8 JAPAN JUDAS, 6 ft., large bushes.
- 100 DEUTZIA candidissima, crenata, scabra and Pride of Rochester, 6 to 8 ft., large bushes, 4 to 5 ft. in diameter.
 - 4 RHUS cotinus, 8 ft., well developed bushes.
 - 10 STYRAX Japonica, 8 ft., well developed bushes.
- 20 VIBURNUM plicatum, 7 to 8 ft., well developed bushes.
- 12 WISTARIA sinensis, large, spreading bushes, 5 to 6 ft.
- 20 ERIANTHUS ravennæ, whole clumps, 12 in. in diameter.
- 100 EULALIAS, Japonica. Green Type, Variegata, Zebrina and gracillima, 12 to 15 in. in diameter.

DECIDUOUS ORNAMENTAL TREES		70
APPLE, Parkman's Flowering Crab, 4 to 5 ft	Per 10 \$3 50	Per 100
Bechtel's Double-flowering Crab, 3 to 4 ft.		
ASH, Am. White (Fraxinus Americana), 10 to 12 ft 14 to 16 ft., 2½ in. cal	3 50 10 00	
BEECH, American, 4 to 5 ft., twice transplanted	3 50	
European, 2 to 3 ft.	1 50	\$10 00
Fine specimens, 14 to 20 ft., 3 to 5 in caliper. Special description and prices of these will be furnished on application, when personal inspection is impracticable.		
Purple-leaved, seedlings, 18 to 24 in., transplanted	1 00	10 00
" 2 to 3 ft., twice transplanted	2 50	20 00
" " 3 to 4 ft	3 00 5 00	25 00 35 00
" " 6 to 7 ft	7 00	5 0 0 0
" " Rivers' top-grafted, 5 to 7 ft	5 00	
" " 8 to 10 ft	10 00 25 00	
" " 15 to 18 ft., 3 to 5 in. caliper, each, \$5 to \$35	20 00	
BIRCH, Cut-leaved Weeping, 6 to 8 ft	3 00	
Purple-leaved. 3 to 4 ft.	2 50	
BIRD CHERRY (Cerasus padus), 5 to 6 ft	2 50	
CATALPA argentea, Silver-leaved Variegated; 7 to 9 ft	3 50	
Kæmpferi. 10 to 12 ft	2 50	
CERCIDIPHYLLUM Japonicum, 7 to 9 ft	5 00	
CYPRESS, Deciduous (Taxodium distichum), 4 to 6 ft	5 00 2 00	18 00
" " 5 to 7 ft	3 00 15 00	25 00
European, 16 to 20 ft., 3 to 8 in. calipereach, \$5 to \$25	10 00	
GINKGO biloba, 4 to 6 ft	3 00	25 00
HACKBERRY (Celtis occidentalis). 2 to 2½ ft	1 00	~00
HOP TREE (Ptelea trifoliata), 2 to 3 ft	50	3 0 0
" 5 to 6 ft., transplanted	1 00	6 00
Golden. 3 to 4 ft.	2 50	20 00
HORSE CHESTNUT, White-flowering, 2 to 3 ft	1 00	6 00
" - " 4 to 5 ft	2 50	
" " 6 to 8 ft	5 00	
Buckeye, 6 to 8 ft	4 0 0	
JUDAS, Japan (Cercis Japonica), 12 to 18 in	1 00	6 00
0 00 ± 10	4 00	
" " 4 to 5 ft	10 00	
each, \$2.50		
KENTUCKY COFFEE TREE (Gymnocladus Canadensis), 3 to 4 ft	1 50	
KŒLREUTERIA paniculata, 10 to 12 ft	7 50	

LARGE ELMS. I have 25 fine specimen Elm trees from 5 to 8 inches in caliper and from 25 to 35 feet high, with well developed heads. They have been transplanted several times and grown in cultivated land and are very well rooted and in good condition for removal. Their roots will retain heavy balls of earth, which can be delivered with them if desired. Those who can use such trees are invited to call and examine these specimens or write for further particulars and prices.

	Per 10	Per 100
LARCH, European, 3 to 4 ft., transplanted	\$2 00	
LINDEN, American, 6 to 8 ft		
9 to 10 ft	3 50	
European, 8 to 10 ft., twice transplanted	5 00	
"Silver-leaved, 7 to 9 ft	5 00	
LIQUIDAMBAR styraciflua (Bilstead, or Sweet Gum), 6 to 8 ft	5 00	
10 00 12 10	7 50	
MAGNOLIA Alexandrina. One of the finest Chinese Magnolias; 3 to 4 ft	10 00	
conspicua, white, 4 to 5 ft	10 00	
grandiflora. Northern-grown seedlings, 1 ft., transplanted	5 00	
Kobus (Japanese Magnolia), 4 to 5 ft	7 50	
" " " 6 to 8 ft.; bushy and fine	25 00	
Norbertiana, 3 to 4 ft	15 00	
obovata, gracilis and purpurea, 3 to 4 ft	3 50	
stellata, or Halleana, 2 to 3 ft.	10 00	
Soulangeana, 4 to 5 ft	7 50	
" 5 to 7 ft		
6 to 8 ft., fine, large bushes		
tripetala, 2 to 3 ft		
" 4 to 5 ft	2 00 4 00	\$30 00
" 8 to 10 ft	6 00	φυσ σσ
MAPLE, Ash-leaved (Acer negundo), 10 to 12 ft	2 50	20 00
Red Colchicum, transplanted, 4 to 5 ft	2 50	20 00
" " " 6 to 8 ft	5 00	20 00
Norway, 3 to 4 ft., transplanted	1 00	5 00
5 to 6 ft	1 00	8 00
" 6 to 8 ft	2 00	18 00
0 to 10 1t per 1,000, \$250	4 00	30 00
" 10 to 12 ft	4 00	35 00
Scarlet, or Red, or Swamp, 4 to 5 ft	3 00	
Schwedleri. Purple-leaved, 4 to 6 ft	3 50	
Silver-leaved, 8 to 10 ft.	2 50	18 00
" 10 to 12 ft	3 00	25 00
Sugar, 4 to 6 ftper 1,000, \$60	1 50	10 00
" 6 to 8 ft	2 50	18 00
" 8 to 10 ft	3 50	25 00
" 10 to 12 ft	5 00	
12 to 14 10., 2 to 23 iii. camper	10 00	
Trew range specimens, 0 to 5 in. car each, \$15 to \$60	0.00	
English Sycamore, 10 to 12 ft	3 00	
Tartarian Ginnala, dwarf; 5 to 6 ft., bushy	5 00	
OAK, English (Quercus robur), 4 to 6 ft.	5 00	30 00
0 00 0 10	6 00	50 00
Mossy Cup (Q. macrocarpa), 3 to 4 ft., transplanted	2 50	20 00
" " 4 to 6 ft	4 00	30 00
" " 6 to 8 ft	6 00	50 00
Pin (Q. palustris), 18 to 24 in., seedlings	1 50	10 00
" 2 to 3 ft., transplanted	2 50	20 00
0 00 410,	3 00	25 00
" " 6 to 8 ft, " 8 to 10 ft	7 50 15 00	
Pyramidal, 5 to 6 ft.	5 00	
Red (Q. rubra), 4 to 5 ft., transplanted	5 00	
White (Q. alba), 12 to 18 in	75	5 00
" 18 to 24 in	1 00	6 00
Willow-leaf (Q. Phellos), 4 to 5 ft., transplanted	4 00	30 00
(2. The state of t	_ 00	

	Per 10	Per 100
PHELLODENDRON Amurense (Chinese Cork Tree), 4 to 5 ft		1 01 100
PRUNUS Pissardii, 4 to 5 ft., own roots; low-branched	3 50	
TULIP TREE (Liriodendron tulipifera), 5 to 6 ft		
VIRGILEA lutea, 3 to 4 ft		
" 7 to 9 ft., transplanted		
WALNUT, Cut-leaved (Juglans regia laciniata), 7 to 8 ft	10 00	
EVERGREENS.	Per 10	Damasa
ARBORVITÆ, American, 2 to 3 ft., twice transplanted		Per 100 \$10 00
" 3 to 4 ft	2 00	15 00
" 5 to 6 ft., thrice transplanted	2 50 1 0 0	5 00
'' 1½ ft., transplanted	1 50	10 00
" 2 to 2½ ft., "	2 50	20 00
" 3 ft	5 00 10 0 0	
gigantea variegata, 18 to 24 in	5 00	
globosa, 8 to 10 in.	1 00	6 00
" 12 to 15 in	1 00	9 00
Heath-leaved (Thuya ericoides), and Tom Thumb,	1 50	
12 to 18 in	1 50 1 00	
" 18 to 24 in	2 00	15 00
Pyramidal, 4 to 5 ft	3 00	25 00
Siberian, 2 to 3 ft	2 00	
" 3 to 4 ft	4 00	
Vervæneana, 2 to 3 ft	2 50 5 00	
"Golden (Semper aurescens), 10 to 15 in	2 5 0	
"Elegantissima, 12 to 18 in	2 50	
CEDRUS Atlantica glauca, 12 to 18 in	2 50	
CRYPTOMERIA Japonica, 18 to 24 in	3 50	
" 2 to 3 ft	5 00	
JUNIPER, Swedish, 12 to 18 in	1 00	8 00
'' 2 to 2½ ft '' Dwarf, 10 to 15 in	1 50	12 00 1 0 00
American (Juniperus communis), upright; 3 to 4 ft	1 50 1 50	10 00
Cracovia, 4 to 5 ft	2 50	20 00
Golden (J. communis aurea), 12 to 15 in	2 50	20 00
Trailing (J. procumbens), 6 to 8 in., 1 yr	1 50	10 00
" 18 to 24 in	2 50	20 00
Irish, 12 to 18 in	1 50 1 5 0	10 00 12 0 0
" $2 \text{ to } 2\frac{1}{2} \text{ ft}$	2 00	15 00
" 3 to 4 ft	2 00	18 00
Pyramidal, 2 to 2½ ft	1 50	12 00
'' 4 to 5 ft	2 50	20 00
Mugho, 9 to 12 in. diameter	2 50 2 50	20 00
Scotch, 5 to 6 ft., twice transplanted	5 00	40 00
White, 4 to 5 ft	2 50	
" Dwarf, (Pinus strobus nanus), 18 to 24 in	5 00	
Swiss Stone (Pinus cembra), 12 to 15 in., grafted	2 50	
RETINOSPORA obtusa nana, 2½ to 3 ft		
" " 3 to 4 ft	25 00	

RETINOSPORA plumosa, 12 to 18 in	Per 10	Per 100
2 to 3 ft	3 00	\$15 00 25 00
" 3 to 4 ft., sheared specimens		75 00
" aurea, 12 to 18 in	2 00	15 00
" " 18 to 24 in	3 50	
" 2 to 3 ft., sheared specimens	7 50	
squarrosa Veitchii, 1 to 1½ ft., sheared specimens	2 50	
" $1\frac{1}{2}$ to 2° ft., " "	5 00	
2 to 3 ft., "	7 50	
	10 00	
4 00 10.,		
SILVER FIR, Balsam, 2 to 3 ft	1 50	
Douglas, 18 to 24 in.	2 00	0.00
European, 12 to 18 in., twice transplanted	1 00	6 00
" 18 to 24 in , " "	$\begin{array}{c} 1 & 50 \\ 2 & 50 \end{array}$	10 00 20 00
" 3 to 4 ft	4 00	30 00
'' 4 to 5 ft	5 00	40 00
Weeping (Picea pectinata pendula), $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$		20 00
nobilis, 9 to 12 in		
pichta, 2 to 3 ft	5 00	
Nordmann's, 12 to 15 in., twice transplanted	3 00	2 5 00
2 to 3 ft		
SPRUCE, Alcoquiana, 12 to 18 in., grafted	5 00	
Colorado Blue (<i>Picea pungens</i>), 5 years grafted; fine color;	0 00	
2 to 3 ft	35 00	
" " Seedlings, 18 to 24 in		
" (P. Parryana glauca), 12 to 18 in	5 00	
Pungens Seedlings, not blue, 12 to 18 in	1 00	6 00
concolor, 2 to $2\frac{1}{2}$ ft.; very fine	20 00	
elata, 4 to 5 ft; long, spreading branches; very singular	7 50	
Hemlock, 2 to 3 ft.	3 50	30 00
"Hookeri, or macrophylla, 24 to 3) in., grafted	15 00	
"Sargent's Weeping, 15 to 18 in., grafted	15 00	
Orientalis, 12 to 18 in	5 00	
" 1½ to 2 ft		
0 10		
5 to 4 16, the specimens	25 00	
" 4 to 5 ft., fine specimens Each, \$3 to \$5 Norway, 2 to 3 ft	1 00	8 00
" 3 to 4 ft	2 00	18 00
"Golden (Excelsa aurea), 18 to 24 in	5 00	10 00
"Gregoryana, 18 to 24 in		
" pumila, 1 ft		
"Weeping (Abies inverta), 18 to 24 in	5 00	
" " " " 3 to 4 ft	10 00	80 00
" " " 4 to 5 ft		
5 to 6 it	2 5 0	
THUYOPSIS dolobrata variegata, 12 to 15 in	2 50	
" Standishii, 12 to 18 in	2 50	
YEW, English (Taxus baccata), 12 to 18 in	2 50	
" " 18 to 24 in	7 50	

LARGE TREES.

I have some extra-fine, large specimens of several of the above varieties. These trees have been frequently transplanted and root-pruned, and are kept in proper condition for moving. They are growing on land with a clay subsoil, will hold good balls of earth, and can be shipped almost any distance. Shall be glad to receive visits or correspondence from those who have use for such stock.

1,000 Shrubs, of large size, assorted in 20 Varieties or more, my selection, for \$100.

EVERGREEN AND DECIDUOUS SHRUBS.

EVERGREEN AND DECIDOUS SHRI	182	
ACER polymorphum (Japan Maple), 4 to 5 ft	Per 10 \$15 00	Per 100
ALTHÆA, Double Red, and Double White, 5 to 6 ft.; fine, bushy plants.	2 00	\$15 00
"White, Standards, tree form, 6 to 7 ft	3 00	25 0 0
Variegated-leaved, 2 to 3 ft	1 50	10 00
Seedlings, mixed, 4 to 5 ft	1 00	8 00
AMORPHA fruticosa (Indigo Bush), 2 to 3 ft	50	4 00
" 4 to 5 ft	1 00	8 00
AMYGDALUS communis fl. pl. (Pink Double-flowering Almond),		
2 to 3 ft	1 50	1 2 00
ANDROMEDA arborea (Oxydendron; Sorrel Tree), transplanted, 2 to 3 ft.	3 00	25 0 0
" Transplanted, 3 to 4 ft	5 00	
" 4 to 5 ft	10 00	
ligustrina, 2 to 2½ ft., bushy plants	2 00	15 00
Mariana, 2 to 3 ft., transplanted	3 00	25 00
racemosa, 3 to 4 ft., transplanted	3 00	
AZALEA amœna, strong rooted cuttings per 1,000, \$25	50	3 00
" 6 to 10 in., from 2½-inch pots	1 00	8 00
" 9 to 12 in., from 3½-inch pots	1 50	12 0 0
" 12 to 15 in., from open ground	3 00	2 5 00
" 15 to 18 in., from open ground	6 00	
arborescens, 2 to $2\frac{1}{2}$ ft	5 00	
mollis, 15 to 18 in	4 00	
Pontica, fine plants. 2 to $2\frac{1}{2}$ ft., transplanted	7 50	60 0 0
Vaseyi, 2 to 3 ft	7 50	
BERBERIS dulcis, 18 to 24 in	2 50	
Neuberti, 2 to 3 ft	1 50	
purpurea (Purple-leaved Barberry), 2 to 3 ft., transplanted	1 00	0.00
Thunbergii, 12 to 18 in. transplanted; bushy	1 00	6 00
" 18 to 24 in , "	1 00	10 0 0 1 5 0 0
BUDDLEIA Lindleyana, 3 to 4 ft	1 00	8 00
BUXUS aurea variegata (Variegated Box), 2 ft	5 00	0 00
latifolia (Broad-leaved Tree Box), 12 to 18 in	1 50	10 00
myrtifolia (Narrow-leaved Tree Box), 12 to 18 in	1 50	10 00
sempervirens (Round-leaved Tree Box), 2 ft	5 00	10 00
CALYCANTHUS floridus, 12 to 18 in	35	2 00
" fine and bushy, 4 to 5 ft	1 50	12 00
CARYOPTERIS mastacanthus (Blue Spiræa), 18 to 24 in	1 50	10 00

AZALEA AMŒNA. I have a fine stock of this scarce but valuable plant. It is one of the choicest dwarf evergreen shrubs for small yards and for massing, and for bordering groups of rhododendrons or other broadleaved evergreens. It blooms very freely in early summer, and forces with the greatest ease. The flowers are semi-double, 1 inch in diameter and of rich magenta color, borne in great profusion. When full grown the plants attain a size of 3 to 4 feet in height. For prices, see above.

OERCIS Japonica (Japan Judas), bushy plants, 2 to 3 ft		\$25 00
" " " " 4 to 5 ft	10 00	1
CHIONANTHUS Virginica (White Fringe), 15 to 18 in., transplanted	1 00	
" " 2 to 3 ft., "	1 20	
" " " 3 to 4 ft., "	1 50	12 00
CITRUS trifoliata (Hardy Orange); for hedging, 18 to 24 in., transpl	1 00	6 00
" " 4 to 5 ft	3 00	20 00
CLERODENDRON serotinum, 4 to 5 ft	3 00	
CORCHORUS Japonica, 2 to 3 ft	1 00	
variegava, 10 to 10 m	1 00	8 00
CORNUS floridus rubro (Pink-flowering Dogwood), 2 to 3 ft	6 00	
COTONEASTER microphylla, 6 to 9 in	1 00	8 00
Simonsi, 2 to 3 ft	1 50	10 0 0
CRATÆGUS pyracantha, 1 yr., 6 in	1 00	
" Lelandi, 10 to 18 in	1 50	10 00
DAPHNE cneorum, 6 to 10 in	2 50	
laureola (Evergreen), 18 in	3 50	
DEUTZIA candidissima plena (Double White), 8 to 4 ft	1 00	8 00
crenata plena (Double Pink), and scabra, 3 to 4 ft	1 00	8 00
Pride of Rochester and Watereri, 3 to 4 ft	1 00 1 25	8 00 12 00
ELÆAGNUS longipes, true, large-fruited, grafted, 2 to 3 ft	5 00	
EUONYMUS Europæus (Strawberry Tree), 3 to 4 ft	1 50	8 00
Japonica (Evergreen Euonymus), 12 to 18 in	1 00	8 00
radicans variegata	1 00	6 00
EXOCHORDA grandiflora (Pearl Bush), 2 to 3 ft	1 00	8 00
" " " 3 to 4 ft	1 50	10 00
" " 4 to 5 ft., bushy	1 50	12 00
FORSYTHIA viridissima and Fortunei, 3 to 4 ft	1 00	
HALESIA diptera and tetraptera, 18 to 24 in	60	4 00
± 00 0 10., transplanted	2 00	15 00
HIPPOPHÆ rhamnoides (Sea Buckthorn), 2 to 3 ft	1 00	8 00
HYDRANGEA paniculata grandiflora, 1½ to 2 ft	1 50	
Hortensis, 18 to 24 in	1 50	00 00
cordata, 3 to 4 ft	2 50	2 0 00
HYPERICUM kalmianum, 3 to $8\frac{1}{2}$ ft	1 00	8 00
ILEX opaca (American Holly), 2 to 2½ ft	5 00	
KALMIA latifolia, 1 ft	2 50	
LAGERSTRŒMIA Indica (Crape Myrtle), 12 to 15 in	4 00	

	Des	Dan
LIGUSTRUM ovalifolium (California Privet), 2 to 2½ ft	Per 10 \$0 75	Per 100 \$6 00
" " 3 to 4 ft	1 00	8 00
Chinensis, 3 to 4 ft	1 00	6 00
Ibota (Chinese Privet), true, hardy, 18 to 24 in	1 25	10 00
intermedia, 18 to 24 in	1 00	9.00
vulgaris (Common Privet), 5 to 6 ft	1 00	8 00
LONICERA fragrantissima (Upright Fragrant Honeysuckle), 18 to 24 in. 3 to 4 ft	1 00	8 00
MAHONIA aquifolia, 12 to 18 in., transplanted	1 50	12 00 8 00
" 18 to 24 in	1 50	10 00
Japonica, 18 to 24 in., transplanted	1 50	12 00
" 2 to $2\frac{1}{2}$ ft; fine, bushy plants	3 00	25 00
" 3 ft.; " " "	5 00	
PAVIA macrostachya (Dwarf Horse Chestnut), 2 ft	3 50	
PHILADELPHUS coronarius and grandiflorus, 4 to 5 ft	1 00	8 00
Ketelerii, dwarf, 3 to 4 ft	1 50	
nanus aureus (Golden-leaved), 18 to 24 in., bushy	2 00	
PRUNUS Pissardii (Purple-leaved Plum), 4 to 5 ft., bushy	3 50	
RHODODENDRON, Hardy named varieties, with buds, 18 to 24 in	7 50	60 00
maximum, 12 in., transplanted	4 00	
" 18 to 24 in	6 00	
RHODOTYPOS kerrioides, 2 to 3 ft., transplanted	1 50	
RHUS cotinus (Purple Fringe), 3 to 4 ft	1 50	10 00
ROSA Rugosa and Rugosa alba, Mixed seedlings, 9 to 12 in	1 00	5 00
Wichuraiana (Memorial, or Japan Trailing Rose), 2 to 3 ft	1 00	8 00
"3 to 4 ft., 2-yrs., an excellent trellis plant	1 50	10 00
Pink Roamer, Manda's Triumph, and Universal Favorite,		
strong, field-grown plants	1 50	10 00
SOPHORA Japonica, 12 to 18 in., transplanted.	1 00	
SPIRÆA arguta; new and scarce; single white; very hardy; 2 to 3 ft	1 50	10 00
Billardii, 3 to 4 ft	1 00	6 00
" 4 to 5 ft	1 00	8 00 8 00
callosa alba, 2 to $2\frac{1}{2}$ ft., bushy	. 1 50	10 00
Douglasii, 2 to 3 ft	1 50	
opulifolia aurea (Golden-leaved), 5 to 6 ft	1 50	10 00
Reevesii, Single and Double, 3 to 4 ft	1 50	10 00 8 00
Thunbergii, 18 to 24 in	1 00	8 00
" " 3 to 4 ft	1 50	10 00
Watereri. Dwarf, carmine; 2 years, 12 to 18 in	1 50	12 00
STEPHANANDRA flexuosa, 12 to 18 in	1 00	8 00
2 to 3 ft	2 50	20 0)

STYRAX Japonica, 12 to 18 in., one of the choicest new shrubs		Per	r 10	Per	100
SYMPHORICARPUS racemosus (Snowberry), 3 to 4 ft. 100 800 vulgaris, 3 to 4 ft. 100 vulgaris, 3 to 4 ft. 100 SYRINGA Japonica (Tree Lilac), 5 to 6 ft. 500 vulgaris (Purple Lilac), 3 to 4 ft. 150 10 00 800 "alba, 2 to 3 ft. 150 10 00 800 "3 to 4 ft. 150 10 00 10 00 Josikæa and Rubra de Marley, 2 to 3 ft. 100 10 00 Josikæa and Rubra de Marley, 2 to 3 ft. 100 10 00 Josikæa and Rubra de Marley, 2 to 3 ft. 100 10 00 ULEX Europæus (Gorse or Furze), 2 to 3 ft. 150 10 00 VIBURNUM opulus (Tree Cranberry), 3 to 4 ft. 150 12 00 plicatum, 1½ to 2 ft. 150 12 50 3 to 4 ft. 150 12 50 3 to 4 ft. 150 12 50 3 to 4 ft. 150 12 50 12				\$6	00
SYRINGA Japonica (Tree Lilac), 5 to 6 ft				8	00
vulgaris (Purple Lilao). 3 to 4 ft 1 50 10 00 "alba, 2 to 3 ft 1 50 "3 to 4 ft 1 50 Persica alba and Persica laciniata, 2 to 3 ft 1 00 10 00 Josikæa and Rubra de Marley, 2 to 3 ft 1 00 8 00 TAMARIX tetandra, Africana and purpurea, 3 to 4 ft 1 00 8 00 ULEX Europæus (Gorse or Furze), 2 to 3 ft 1 50 10 00 VIBURNUM opulus (Tree Cranberry), 3 to 4 ft 1 50 12 00 plicatum, 1½ to 2 ft 1 00 8 00 "2 to 2½ ft 1 50 12 00 "3 to 4 ft 2 00 16 00 "4 to 2½ ft 1 50 12 00 "5 to 7 ft 5 to 7 ft 5 00 Washes, 4 to 5 ft 5 00 40 00 "5 to 7 ft 5 to 7 ft 5 00 XANTHOCERAS Sorbifolia, 2 to 3 ft 5 00 XANTHOCERAS Sorbifolia, 2 to 3 ft 1 00 6 00 Veitchii, 2 yrs 1 00 8 00 Virginica, 2 yrs 1 00 8 00 Virginica, 2 yrs 1 00 8 00					
## alba, 2 to 3 ft.				10	00
Persica alba and Persica laciniata, 2 to 3 ft. 1 00 10 00 Josikæa and Rubra de Marley, 2 to 3 ft. 1 00 TAMARIX tetandra, Africana and purpurea, 3 to 4 ft. 1 00 8 00 ULEX Europæus (Gorse or Furze), 2 to 3 ft. 1 50 10 00 VIBURNUM opulus (Tree Cranberry), 3 to 4 ft. 1 50 12 00 plicatum, 1½ to 2 ft. 1 00 8 00 2 to 2½ ft. 1 50 12 50 3 to 4 ft. 2 00 16 00 " 3 to 4 ft. 5 00 40 00 " 5 to 7 ft., very fine bushes 10 00 macrocephalum, 2 to 3 ft. 5 00 XANTHOCERAS Sorbifolia, 2 to 3 ft. 5 00 XANTHOCERAS Sorbifolia, 2 to 3 ft. 5 00 Virginica, 2 yrs. 1 00 8 00 Virginica, 2 yrs. 1 00 8 00 BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft. 1 50 12 00 BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft. 1 50 10 00 " 4 to 6 ft; large, strong plants. 2 50 grandiflora and Thunbergii, 3 to 4 ft., strong 2 50 20 00 CLEMATIS paniculata, strong plants, from open ground 1 50 12 00 Jackmanni and other named sorts, 2 yrs. 3 50 EUONYMUS radicans variegata 1 00 8 00 Japonica (Pink Woodbine) 1 00 8 00 ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft. 1 00 8 00 ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft. 1 00 8 00 TECOMA radicans (Bignonia), 2 to 3 ft. 75 5 00 VINCA minor (Blue Periwinkle) 75 4 00 WISTARIA frutescens and frutescens alba (Glycine), 3 to 4 ft. 2 50	" alba, 2 to 3 ft				
Josikæa and Rubra de Marley, 2 to 3 ft.	0 60 4 16				
ULEX Europæus (Gorse or Furze), 2 to 3 ft. 150 10 00 VIBURNUM opulus (Tree Cranberry), 3 to 4 ft. 150 12 00 plicatum, 1½ to 2 ft. 100 8 00 2 to 2½ ft. 150 12 50 3 to 4 ft. 200 16 00 1 large bushes, 4 to 5 ft. 200 16 00 2 to 7 ft., very fine bushes 10 00 macrocephalum, 2 to 3 ft. 500 XANTHOCERAS Sorbifolia, 2 to 3 ft. 500 XANTHOCERAS Sorbifolia, 2 to 3 ft. 500 XAMPELOPSIS bipinnata and heterophylla, 3 to 5 ft. 100 8 00 Veitchii, 2 yrs. 100 8 00 Virginica, 2 yrs. 100 8 00 BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft. 150 10 00 " 4 to 6 ft; large, strong plants. 250 grandiflora and Thunbergii, 8 to 4 ft., strong. 250 grandiflora and Thunbergii, 8 to 4 ft., strong. 250 20 00 CLEMATIS paniculata, strong plants, from open ground 150 12 00 Jackmanni and other named sorts, 2 yrs. 350 EUONYMUS radicans variegata 100 8 00 LONICERA aurea (Golden Japan Honeysuckle) and Halleana 100 8 00 LONICERA aurea (Golden Japan Honeysuckle) and Halleana 100 8 00 ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft. 1 00 8 00 ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft. 1 50 10 00 TECOMA radicans (Bignonia), 2 to 3 ft. 1 50 10 00 TECOMA radicans (Bignonia), 2 to 3 ft. 1 50 10 00 VINCA minor (Blue Periwinkle) 50 2 50 alba variegata. Variegated leaf and white flower 75 4 00				10	00
VIBURNUM opulus (Tree Cranberry), 3 to 4 ft. 1 50 12 00 plicatum, 1½ to 2 ft. 1 00 8 00 " 2 to 2½ ft. 1 50 12 50 " 3 to 4 ft. 2 00 16 00 " large bushes, 4 to 5 ft. 5 00 40 00 " 5 to 7 ft., very fine bushes 10 00 macrocephalum, 2 to 3 ft. 5 00 tomentosum, 12 to 18 in. 2 00 12 00 XANTHOCERAS Sorbifolia, 2 to 3 ft. 5 00 VINES AND CREEPERS. AKEBIA quinata, 3 yrs., transplanted, strong plants. \$1 50 \$12 00 AMPELOPSIS bipinnata and heterophylla, 3 to 5 ft. 1 00 6 00 Veitchii, 2 yrs. 1 00 8 00 Virginica, 2 yrs. 1 00 8 00 BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft. 1 50 10 00 " 4 to 6 ft; large, strong plants. 2 50 grandiflora and Thunbergii, 8 to 4 ft., strong. 2 50 grandiflora and Thunbergii, 8 to 4 ft., strong. 2 50 CLEMATIS paniculata, strong plants, from open ground. 1 50 1 20 Jack	TAMARIX tetandra, Africana and purpurea, 3 to 4 ft	1	00	8	00
Post	ULEX Europæus (Gorse or Furze), 2 to 3 ft.	1	50	10	00
## 2 to 2\frac{1}{2} ft.		1	50	12	00
*** 3 to 4 ft				_	
", large bushes, 4 to 5 ft. 5 00 40 00 " 5 to 7 ft., very fine bushes 10 00 macrocephalum, 2 to 3 ft. 5 00 tomentosum, 12 to 18 in. 2 00 12 00 XANTHOCERAS Sorbifolia, 2 to 3 ft. 5 00 VINES AND CREEPERS. AKEBIA quinata, 3 yrs., transplanted, strong plants. Per 10 Per 10 AMPELOPSIS bipinnata and heterophylla, 3 to 5 ft. 1 00 8 00 Veitchii, 2 yrs. 1 00 8 00 Virginica, 2 yrs. 1 00 8 00 Virginica, 2 yrs. 1 00 8 00 BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft. 1 50 10 00 4 to 6 ft; large, strong plants. 2 50 20 00 GLEMATIS paniculata, strong plants, from open ground 1 50 12 00 Jackmanni and other named sorts, 2 yrs. 3 50 EUONYMUS radicans variegata 1 00 8 00 LONICERA aurea (Golden Japan Honeysuckle) and Halleana 1 00 8 00 Japonica (Pink Woodbine) 1 00 8 00 ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft. 1 00 8 00 TECOMA radicans (Bignonia),	2 00 2 10				
## 5 to 7 ft., very fine bushes					
tomentosum, 12 to 18 in. 2 00 12 00 XANTHOCERAS Sorbifolia, 2 to 3 ft. 5 00 VINES AND CREEPERS. AKEBIA quinata, 3 yrs., transplanted, strong plants. Per 10	"5 to 7 ft., very fine bushes				
VINES AND CREEPERS.				19	00
VINES AND CREEPERS. AKEBIA quinata, 3 yrs., transplanted, strong plants. Per 10				12	00
AKEBIA quinata, 3 yrs., transplanted, strong plants. \$\frac{9}{5}\$ 150 \$12 00\$ AMPELOPSIS bipinnata and heterophylla, 3 to 5 ft. 1 00 6 00 Veitchii, 2 yrs. 1 00 8 00 Virginica, 2 yrs. 1 00 8 00 BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft. 1 50 10 00 " 4 to 6 ft; large, strong plants. 2 50 grandiflora and Thunbergii, 3 to 4 ft., strong. 2 50 20 00 CLEMATIS paniculata, strong plants, from open ground. 1 50 12 00 Jackmanni and other named sorts, 2 yrs. 3 50 EUONYMUS radicans variegata. 1 00 8 00 LONICERA aurea (Golden Japan Honeysuckle) and Halleana. 1 00 8 00 Japonica (Pink Woodbine). 1 00 8 00 ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft. 1 00 8 00 TECOMA radicans (Bignonia), 2 to 3 ft. 75 5 00 " 3 to 4 ft. 75 5 00 VINCA minor (Blue Periwinkle). 50 2 50 " alba variegata. Variegated leaf and white flower 75 4 00 WISTARIA frutescens and frutescens alba (Glycine), 3 to 4 ft. 2 50	AANTHOOLIAS Solbholla, 2 to 3 lt	i)	00		
AKEBIA quinata, 3 yrs., transplanted, strong plants. \$\frac{9}{5}\$ 150 \$12 00\$ AMPELOPSIS bipinnata and heterophylla, 3 to 5 ft. 1 00 6 00 Veitchii, 2 yrs. 1 00 8 00 Virginica, 2 yrs. 1 00 8 00 BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft. 1 50 10 00 " 4 to 6 ft; large, strong plants. 2 50 grandiflora and Thunbergii, 3 to 4 ft., strong. 2 50 20 00 CLEMATIS paniculata, strong plants, from open ground. 1 50 12 00 Jackmanni and other named sorts, 2 yrs. 3 50 EUONYMUS radicans variegata. 1 00 8 00 LONICERA aurea (Golden Japan Honeysuckle) and Halleana. 1 00 8 00 Japonica (Pink Woodbine). 1 00 8 00 ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft. 1 00 8 00 TECOMA radicans (Bignonia), 2 to 3 ft. 75 5 00 " 3 to 4 ft. 75 5 00 VINCA minor (Blue Periwinkle). 50 2 50 " alba variegata. Variegated leaf and white flower 75 4 00 WISTARIA frutescens and frutescens alba (Glycine), 3 to 4 ft. 2 50					
AKEBIA quinata, 3 yrs., transplanted, strong plants. \$1 50 \$12 00 AMPELOPSIS bipinnata and heterophylla, 3 to 5 ft. 100 6 00 Veitchii, 2 yrs. 100 8 00 Virginica, 2 yrs. 100 8 00 BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft. 150 10 00 4 to 6 ft; large, strong plants. 250 grandiflora and Thunbergii, 3 to 4 ft., strong. 250 20 00 CLEMATIS paniculata, strong plants, from open ground 150 12 00 Jackmanni and other named sorts, 2 yrs. 350 EUONYMUS radicans variegata 100 8 00 LONICERA aurea (Golden Japan Honeysuckle) and Halleana 100 8 00 ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft. 100 8 00 ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft. 150 10 00 TECOMA radicans (Bignonia), 2 to 3 ft. 75 5 00 """ 3 to 4 ft. 150 10 00 VINCA minor (Blue Periwinkle) 50 2 50 "alba variegata. Variegated leaf and white flower 75 4 00 WISTARIA frutescens and frutescens alba (Glycine), 3 to 4 ft. 2 50					
Veitchii, 2 yrs. 1 00 8 00 Virginica, 2 yrs. 1 00 8 00 BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft. 1 50 10 00 " 4 to 6 ft; large, strong plants. 2 50 grandiflora and Thunbergii, 3 to 4 ft., strong. 2 50 20 00 CLEMATIS paniculata, strong plants, from open ground 1 50 12 00 Jackmanni and other named sorts, 2 yrs. 3 50 EUONYMUS radicans variegata 1 00 8 00 LONICERA aurea (Golden Japan Honeysuckle) and Halleana 1 00 8 00 Japonica (Pink Woodbine) 1 00 8 00 ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft 1 00 8 00 TECOMA radicans (Bignonia), 2 to 3 ft 1 50 10 00 VINCA minor (Blue Periwinkle) 50 2 50 " alba variegata Variegated leaf and white flower 75 4 00 WISTARIA frutescens and frutescens alba (Glycine), 3 to 4 ft 2 50	VINES AND CREEPERS.				
Virginica, 2 yrs 1 00 8 00 BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft 1 50 10 00 " 4 to 6 ft; large, strong plants 2 50 grandiflora and Thunbergii, 3 to 4 ft., strong 2 50 20 00 CLEMATIS paniculata, strong plants, from open ground 1 50 12 00 Jackmanni and other named sorts, 2 yrs 3 50 EUONYMUS radicans variegata 1 00 8 00 LONICERA aurea (Golden Japan Honeysuckle) and Halleana 1 00 8 00 Japonica (Pink Woodbine) 1 00 8 00 ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft 1 00 8 00 TECOMA radicans (Bignonia), 2 to 3 ft 1 50 10 00 TECOMA radicans (Bignonia), 2 to 3 ft 1 50 10 00 VINCA minor (Blue Periwinkle) 50 2 50 " 3 to 4 ft 1 50 10 00 VINCA minor (Blue Periwinkle) 50 2 50 " 3 to 4 ft 2 50 WISTARIA frutescens and frutescens alba (Glycine), 3 to 4 ft 2 50					
BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft. 1 50 10 00 " 4 to 6 ft; large, strong plants. 2 50 grandiflora and Thunbergii, 3 to 4 ft., strong. 2 50 20 00 CLEMATIS paniculata, strong plants, from open ground 1 50 12 00 Jackmanni and other named sorts, 2 yrs. 3 50 EUONYMUS radicans variegata 1 00 8 00 LONICERA aurea (Golden Japan Honeysuckle) and Halleana 1 00 8 00 Japonica (Pink Woodbine) 1 00 8 00 ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft 1 00 8 00 TECOMA radicans (Bignonia), 2 to 3 ft 1 50 10 00 VINCA minor (Blue Periwinkle) 50 2 50 " alba variegata Variegated leaf and white flower 75 4 00 WISTARIA frutescens and frutescens alba (Glycine), 3 to 4 ft 2 50	AKEBIA quinata, 3 yrs., transplanted, strong plants	\$1	5 0	\$12	00
" 4 to 6 ft; large, strong plants. 2 50 grandiflora and Thunbergii, 3 to 4 ft., strong. 2 50 20 00 CLEMATIS paniculata, strong plants, from open ground 1 50 12 00 Jackmanni and other named sorts, 2 yrs. 3 50 EUONYMUS radicans variegata 1 00 8 00 LONICERA aurea (Golden Japan Honeysuckle) and Halleana 1 00 8 00 Japonica (Pink Woodbine) 1 00 8 00 ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft 1 00 8 00 TECOMA radicans (Bignonia), 2 to 3 ft 1 50 10 00 TECOMA radicans (Bignonia), 2 to 3 ft 1 50 10 00 VINCA minor (Blue Periwinkle) 50 2 50 " alba variegata Variegated leaf and white flower 75 4 00 WISTARIA frutescens and frutescens alba (Glycine), 3 to 4 ft 2 50	AKEBIA quinata, 3 yrs., transplanted, strong plants AMPELOPSIS bipinnata and heterophylla, 3 to 5 ft Veitchii, 2 yrs	\$1 1 1	50 00 00	\$12 6 8	00 00 00
grandiflora and Thunbergii, 3 to 4 ft., strong. 2 50 20 00 CLEMATIS paniculata, strong plants, from open ground 1 50 12 00 Jackmanni and other named sorts, 2 yrs. 3 50 EUONYMUS radicans variegata 1 00 8 00 LONICERA aurea (Golden Japan Honeysuckle) and Halleana 1 00 8 00 Japonica (Pink Woodbine) 1 00 8 00 ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft 1 00 8 00 TECOMA radicans (Bignonia), 2 to 3 ft 1 50 10 00 VINCA minor (Blue Periwinkle) 50 2 50 " alba variegata Variegated leaf and white flower 75 4 00 WISTARIA frutescens and frutescens alba (Glycine), 3 to 4 ft 2 50	AKEBIA quinata, 3 yrs., transplanted, strong plants. AMPELOPSIS bipinnata and heterophylla, 3 to 5 ft. Veitchii, 2 yrs. Virginica, 2 yrs.	\$1 1 1	50 00 00 00	\$12 6 8 8	00 00 00 00
Jackmanni and other named sorts, 2 yrs. 3 50 EUONYMUS radicans variegata. 1 00 8 00 LONICERA aurea (Golden Japan Honeysuckle) and Halleana. 1 00 8 00 Japonica (Pink Woodbine). 1 00 8 00 ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft. 1 00 8 00 """"""""""""""""""""""""""""""""""""	AKEBIA quinata, 3 yrs., transplanted, strong plants. AMPELOPSIS bipinnata and heterophylla, 3 to 5 ft. Veitchii, 2 yrs. Virginica, 2 yrs. BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft.	\$1 1 1 1	50 00 00 00 50	\$12 6 8 8	00 00 00 00
EUONYMUS radicans variegata 1 00 8 00 LONICERA aurea (Golden Japan Honeysuckle) and Halleana 1 00 8 00 Japonica (Pink Woodbine) 1 00 8 00 ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft 1 00 8 00 """"""""""""""""""""""""""""""""""""	AKEBIA quinata, 3 yrs., transplanted, strong plants. AMPELOPSIS bipinnata and heterophylla, 3 to 5 ft. Veitchii, 2 yrs. Virginica, 2 yrs. BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft. 4 to 6 ft; large, strong plants.	\$1 1 1 1 1 2	50 00 00 00 50 50	\$12 6 8 8	00 00 00 00
LONICERA aurea (Golden Japan Honeysuckle) and Halleana. 1 00 8 00 Japonica (Pink Woodbine). 1 00 8 00 ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft. 1 00 8 00 " " " 3 to 4 ft. 1 50 10 00 TECOMA radicans (Bignonia), 2 to 3 ft. 75 5 00 " 3 to 4 ft. 1 50 10 00 VINCA minor (Blue Periwinkle) 50 2 50 " alba variegata. Variegated leaf and white flower 75 4 00 WISTARIA frutescens and frutescens alba (Glycine), 3 to 4 ft. 2 50	AKEBIA quinata, 3 yrs., transplanted, strong plants AMPELOPSIS bipinnata and heterophylla, 3 to 5 ft Veitchii, 2 yrs Virginica, 2 yrs BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft 4 to 6 ft; large, strong plants. grandiflora and Thunbergii, 3 to 4 ft., strong. CLEMATIS paniculata, strong plants, from open ground	\$1 1 1 1 2 2 1	50 00 00 00 50 50 50	\$12 6 8 10	00 00 00 00 00
Japonica (Pink Woodbine) 1 00 8 00 ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft 1 00 8 00 """"""""""""""""""""""""""""""""""""	AKEBIA quinata, 3 yrs., transplanted, strong plants. AMPELOPSIS bipinnata and heterophylla, 3 to 5 ft. Veitchii, 2 yrs. Virginica, 2 yrs. BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft. "4 to 6 ft; large, strong plants. grandiflora and Thunbergii, 3 to 4 ft., strong. CLEMATIS paniculata, strong plants, from open ground Jackmanni and other named sorts, 2 yrs.	\$1 1 1 1 2 2 1 3	50 00 00 50 50 50 50	\$12 6 8 8 10 20 12	00 00 00 00 00 00
""" """ "" "" 3 to 4 ft. 1 50 10 00 TECOMA radicans (Bignonia), 2 to 3 ft. 75 5 00 "" 3 to 4 ft. 1 50 10 00 VINCA minor (Blue Periwinkle) 50 2 50 " alba variegata. Variegated leaf and white flower 75 4 00 WISTARIA frutescens and frutescens alba (Glycine), 3 to 4 ft. 2 50	AKEBIA quinata, 3 yrs., transplanted, strong plants. AMPELOPSIS bipinnata and heterophylla, 3 to 5 ft. Veitchii, 2 yrs. Virginica, 2 yrs. BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft. " 4 to 6 ft; large, strong plants. grandiflora and Thunbergii, 3 to 4 ft., strong. CLEMATIS paniculata, strong plants, from open ground Jackmanni and other named sorts, 2 yrs. EUONYMUS radicans variegata.	\$1 1 1 1 2 2 1 3	50 00 00 00 50 50 50 50	\$12 6 8 8 10 20 12 8	00 00 00 00 00 00 00
TECOMA radicans (Bignonia), 2 to 3 ft	AKEBIA quinata, 3 yrs., transplanted, strong plants. AMPELOPSIS bipinnata and heterophylla, 3 to 5 ft. Veitchii, 2 yrs. Virginica, 2 yrs. BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft. " 4 to 6 ft; large, strong plants. grandiflora and Thunbergii, 3 to 4 ft., strong. CLEMATIS paniculata, strong plants, from open ground Jackmanni and other named sorts, 2 yrs. EUONYMUS radicans variegata. LONICERA aurea (Golden Japan Honeysuckle) and Halleana.	\$1 1 1 1 2 2 1 3 1	50 00 00 50 50 50 50 50 00	\$12 6 8 8 10 20 12 8 8 8	00 00 00 00 00 00 00
" 3 to 4 ft	AKEBIA quinata, 3 yrs., transplanted, strong plants. AMPELOPSIS bipinnata and heterophylla, 3 to 5 ft. Veitchii, 2 yrs. Virginica, 2 yrs. BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft. " 4 to 6 ft; large, strong plants. grandiflora and Thunbergii, 3 to 4 ft., strong. CLEMATIS paniculata, strong plants, from open ground Jackmanni and other named sorts, 2 yrs. EUONYMUS radicans variegata. LONICERA aurea (Golden Japan Honeysuckle) and Halleana. Japonica (Pink Woodbine). ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft.	\$1 1 1 1 2 2 1 3 1 1 1	50 00 00 00 50 50 50 50 50 00 00	\$12 6 8 10 20 12 8 8 8 8 8 8 10 10 10	00 00 00 00 00 00 00 00 00 00
" alba variegata. Variegated leaf and white flower 75 4 00 WISTARIA frutescens and frutescens alba (Glycine), 3 to 4 ft 2 50	AKEBIA quinata, 3 yrs., transplanted, strong plants. AMPELOPSIS bipinnata and heterophylla, 3 to 5 ft. Veitchii, 2 yrs. Virginica, 2 yrs. BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft. " 4 to 6 ft; large, strong plants. grandiflora and Thunbergii, 3 to 4 ft., strong. CLEMATIS paniculata, strong plants, from open ground Jackmanni and other named sorts, 2 yrs. EUONYMUS radicans variegata. LONICERA aurea (Golden Japan Honeysuckle) and Halleana. Japonica (Pink Woodbine). ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft. " " " " " 3 to 4 ft. TECOMA radicans (Bignonia), 2 to 3 ft.	\$1 1 1 1 2 2 1 3 1 1 1	50 00 00 50 50 50 50 50 00 00 00 00 00	\$12 6 8 10 12 12 13 14 15 15 15 15 15 15 15	00 00 00 00 00 00 00 00 00 00
	AKEBIA quinata, 3 yrs., transplanted, strong plants. AMPELOPSIS bipinnata and heterophylla, 3 to 5 ft. Veitchii, 2 yrs. Virginica, 2 yrs. BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft. "4 to 6 ft; large, strong plants. grandiflora and Thunbergii, 3 to 4 ft., strong. CLEMATIS paniculata, strong plants, from open ground Jackmanni and other named sorts, 2 yrs. EUONYMUS radicans variegata. LONICERA aurea (Golden Japan Honeysuckle) and Halleana. Japonica (Pink Woodbine). ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft. """ 3 to 4 ft. TECOMA radicans (Bignonia), 2 to 3 ft. """ 3 to 4 ft.	\$1 1 1 1 2 2 1 3 1 1 1 1 1	50 00 00 00 50 50 50 50 50 00 00 00 00 75 50	\$12 6 8 10 20 12 8 6 8 6 6 6 6 6 6 6	00 00 00 00 00 00 00 00 00 00 00
	AKEBIA quinata, 3 yrs., transplanted, strong plants. AMPELOPSIS bipinnata and heterophylla, 3 to 5 ft. Veitchii, 2 yrs. Virginica, 2 yrs. BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft. "4 to 6 ft; large, strong plants. grandiflora and Thunbergii, 3 to 4 ft., strong. CLEMATIS paniculata, strong plants, from open ground Jackmanni and other named sorts, 2 yrs. EUONYMUS radicans variegata. LONICERA aurea (Golden Japan Honeysuckle) and Halleana. Japonica (Pink Woodbine). ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft. """ 3 to 4 ft. VINCA minor (Blue Periwinkle).	\$1 1 1 1 2 2 1 3 1 1 1 1 1	50 00 00 00 50 50 50 50 50 00 00 00 75 50	\$12 (6) 8 (7) 10 (10) 12 (1	00 00 00 00 00 00 00 00 00 00 00 00 00

	Per 10	Per 100
WISTARIA frutescens magnifica, 3 to 4 ft	\$ 1 50	\$10 00
" 4 to 6 ft., large plants	2 50	20 00
Chinensis, 12 to 18 in., transplanted	75	5 00
" 1½ to 3 ft., "	1 00	8, 00
" 3 to 4 ft., "	1 50	12 00
" 4 to 5 ft., strong bushes	2 50	
alba (White Wistaria), 2 to 3 ft	2 50	
multijuga, 3 to 4 ft	5 00	
DUI DOUG AND HEDDAGEOUS DI AN	170	
BULBOUS AND HERBACEOUS PLAN	115	,
GRASSES, ETC.		
	Per 10	Per 100
ARUNDO donax	\$2 50	
" variegata	3 50	
ARUNDINARIA, or Bambusa metake	2 00	
ASTILBE, or Spiræa Japonica	1 00	\$6 00
		π-
CANNAS, choice named sorts, strong roots	75	4 00
DAHLIAS, dry roots. 50 of the choicest varieties per 1,000, \$75	1 25	8 00
Growing plants, from 2½-in. pots	75	5 00
ERIANTHUS Ravennæ, strong clumps	2 00	12 00
" Divided plants	1 00	6 00
EULALIA Japonica variegata and zebrinaper 1,0.0, \$50	1 00	6 00
" Very strong clumps	1 50	12 00
gracillima univittata, strong clumps, 12 to 15 eyes	1 50	12 00
Per 10	Per 100	Per 1,000
FUNKIA cœrulea (Blue Day Lily)\$1 50		
GLADIOLUS, Mixed, bright colors	\$1 00	\$8 00
" shades of red 20	75	5 00
" second size blooming bulbs. 15	50	3 00
HELENIUM autumnale superbum	5 00	
HEMEROCALLIS fulva (Orange Day Lily) 1 00	5 00	
HIBISCUS Moscheutos (Crimson Eye)	4 00	3 0 0 0
IRIS Kæmpferi, mixed seedlings	5 00	
PÆONIA, Herbaceous assorted. Strong, divided roots 1 50	10 00	
" Large clumps, undivided. 3 50 PHLOX, Herbaceous. 1 00	8 00	
RUDBECKIA (Autumn Glow), Double Cone Flower 1 00	5 00	
TRITOMA uvaria	8 00	
UNIOLA latifolia. Hardy ornamental grass; 3 ft. high 1 00	5 00	
YUCCA filamentosa, 2 yrs., transplanted; strong plants 1 00	6 00	
' 3 yrs., ' 1 50	10 00	
" A few extra-large clumps 2 50	10 00	
Gloriosa recurva		
" A few extra fine specimens		
each, \$2.50		,

Write for Special Offer on Carload of Shrubs.

SEEDLINGS AND CUTTINGS.

EVERGREENS.	Per 10 100 1,000
Per 10 100	CALYCANTHUS floridus, 1 yr \$0 25 \$1 00 \$5 00
ARBORVITÆ, compacta, globosa and Hovey's Golden, 2 yr.,	floridus, 2 yr., 12 to 18 in
9 to 12 in., transplanted. \$0 75 \$5 00	to 18 in
Siberian, 6 to 9 in 75 5 00	to 15 in
HINIPER. Golden (J. communis aurea).	CERCIS Japonica, 12 to 18 in 1 00 6 00
JUNIPER, Golden (J. communis aurea), 2 00 15 00 1 yr., 8 to 10 in	CHIONANTHUS Virginica, 4 to 6 in. 50 3 00 20 00
Irish, 2 yr., 15 to 18 in., trans 75 5 00	Virginica,3 yr.,9 to
pyramidal, 6 to 10 in 15 ± 00	12 in., trans 50 4 00 Virginica, 18 to 24
Swedish and Dwarf, 6 to 10 in. 75 5 00	Virginica, 18 to 24
trailing (J. prostrata), 9 in 1 50 12 00 PINE, Cembra, 12 to 18 in	in
excelsa, 1½ to 2 ft., trans 2 00 15 00	18 to 24 in., transplanted 1 00 6 00
RETINOSPORA plumosa, 12 to 15 in 1 50 10 00	CRATÆGUS pyracantha (Ever-
" aurea, 9 to 12 in. 1 50 10 00	green Thorn), 6 in
SILVER FIR, Cephalonica, 9 to 12 in 2 50	DEUTZIA candidissima pl., cre-
European (Picea pectinata),	DEUIZIA candidissima pl., cre- nata pl., Pride of Rochester, Watereri and scabra, 3 to 4 ft 1 00 8 00
6 to 10 in., transplanted 50 4 00	and scabra, 3 to 4 ft 1 00 8 00
European, 12 to 18 in., twice	EUONYMUS Europæus, 6 to 12 in 35 2 00
transplanted	radicans variegata,
transplanted 2 50 20 00	6 to 12 in 50 4 00
nordmann's (P.Nordmann-	EXOCHORDA grandiflora, 2 to 3 ft. 1 00 8 00
iana), 10 to 13 in., trans 2 00 15 00	HALESIA tetraptera, 12 to 15 in 35 2 50
Finsapo, 10 to 15 in., trans. 2 50	diptera and tetraptera,
SPRUCE, Alcoquiana, 12 to 18 in , grafted. 5 00 Colorado (A. pungens), 6 to 12 in. 1 50 10 00	2 yr, 2 to 3 ft
12 to 18 in. 3 00	HIBISCUS Moschentos. White, with crimson eye, 1 yr
Donglas, 18 to 24 in	HIPPOPHEA rhamnoides, 2 to 3 ft. 1 00 8 00
Hemlock, 6 to 10 in., trans 1 00 8 00	HYDRANGEA, Thos. Hogg 75 6 00
inverta, grafted 12 to 18 in 2 50 20 00	HYPERICUM Kalmianum, 2 to 3 ft.,
Orientalis, 6 to 9 in	trans., 1 00 5 00
BEOLDHOUS TREES	KERRIA Japonica variegata, 12
DECIDUOUS TREES.	to 15 in
Per 10 100 1,000	LAGERSTRŒMIA indica (Crape Myrtle), 12 to 15 in
BEECH, American, 9 to 12 in., trans-	LIGUSTRUM ibota, 12 to 15 in 60 5 00
planted	LONICERA fragrantissima, 12 to
Purple-leaved, 18 to 24 in. 1 50 10 00	18 in 75 6 00
HACKBERRY (Celtis occidentalis) 75 5 00	MAHONIA aquifolia, 12 to 18 in.,
HOP TREE (Ptelea trifoliata), 2 yr.,	transplanted 1 00 8 00
2 to 3 ft 50 3 00	Japonica, 12 to 18 in., transplanted 1 50 12 00
Golden, 2 to 3 ft 1 50 10 00	ROSA rugosa, 1-yr. seedlings, 6 to
HORSE CHESTNUT, 8 to 12 in 35 2 00	10 in
MAGNOLIA grandiflora, 12 to 18	10 in
in., transplanted 5 00 gracilis, 2 ft 2 00 15 00	SUPHURA Japonica, 12 to 18 in.,
Kobus Japan).2 to 3 ft. 3 00 25 00	transplanted
tripetala, 12 to 18 in. 50	SPIRÆA arguta, 1 to 2 ft
MAPLE, Norway, 3 to 4 ft 1 00 4 00	STEPHANANDRA flexuosa, 9 to
Sugar, 5 to 6 ft 1 00 6 00	12 in 75 5 00
OAK, English (Quercus robur), 12 to 18 in	STYRAX Japonica, 1 yr., 12 to 18 in. 75 6 00
Chestnut(Q.prinus, 12 to 18 in. 50 3 00 \$25 00	SYRINGA vulgaris, 2 to 3 ft 80 5 00
Mossy Cup (Q. macrocarpa).	alba, 2 to 2½ ft 1 00 8 00
3 to 4 ft., trans	ULEX Europeus (Furze or Gorse), 1 to 1½ ft., transplanted
Piu (Q. palustris), 18 to 24 in. 1 00 6 00 40 00	VIBURNUM plicatum, rooted cut-
White (Q. alba), 12 to 18 in 1 00 4 00 30 00	tings 50 4 00
Willow Q. phellos 18 to 24 in. 50 3 00	18 to 24 in 1 00 8 00
44 3 to 4 ft 3 00 20 00	YUCCA Illamentosa, 1 yr 35 1 50 10 00
	ERIANTHUS Ravennæ, seedlings 1 00 6 00
SHRUBS-DECIDUOUS AND EVER-	IRIS Kæmpferi (Japan Iris), 2 yr 60 5 00
GREEN. Per 10 100 1,000	AMPELOPSIS Virginica, 1 yr., 18 to 36 in 35 3 00
AMORPHA fruticosa, 6 to 12 in \$0 25 \$1 00 \$5 00	heterophylla or in-
ANDROMEDA arborea, 2 to 3 ft 3 00 25 00	cisa, 1 to 2 ft 50 3 00
AZALEA amœna, from 3-in. pots,	TECOMA radicans (Bignonia),
9 to 12 in 1 50 12 00	seedlings, 2 to 3 ft
" Rooted cuttings	WISTARIA Sinensis, 2 yr., 9 to 15 inches 60 5 00 35 00
from bed 50 3 00 25 00	" 1 vr 6 to
BERBERIS Thunbergii, 15 to 18 in. 1 00 6 00	12 in 40 2 00 15 00
BUXUS latifolia and myrtifolia,	magnifica, 12 to 24 in. 50 4 00 25 00 10 to 15 in. 25 2 00 10 00
6 to 10 in., transplanted 75 6 00	" 10 to 15 in. 25 2 00 10 00

DAHLIAS, dry roots, 25 choice varieties, \$75 per I,000; young plants from 2^{1} 2-inch pots, in 50 varieties, \$5 per I00, \$40 per 1,000.

Address

SAMUEL C. MOON, Morrisville, Pa.